# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : BARTOLINE BRUSH CLEANER

Product code : 4569
Product group : End product

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use
Use of the substance/mixture : Paint brush cleaner

1.2.2. Uses advised against

Restrictions on use : Cosmetics, personal care products

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Bartoline Limited Ltd Barmston Close HU17 0LW Beverley United Kingdom

T 01482 678710 - F 01482 872606

infor@bartoline.co.uk - www.bartoline.co.uk

### **EU Address**

Bartoline Ireland Limited Unit 3D North Point House North Point Business Park New Mallow Road Cork T23 AT2P Ireland +353212066441 info@bartoline.eu

# 1.4. Emergency telephone number

Emergency number : 01482 678710

8.30am - 4.45pm Monday to Friday

NHS 111 - General Public (24 Hour service)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Specific target organ toxicity – Single exposure, Category 3, Narcosis H336

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

Specific target organ toxicity – Repeated exposure, Category 1 H372
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP)

Contains

Danger

: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P260 - Do not breathe vapours, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, eye protection, face protection.

P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P331 - Do NOT induce vomiting.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

Extra phrases : Contains: GREATER THAN 30% ALIPHATIC HYDROCARBONS. 15% OR OVER BUT

LESS THAN 30% AROMATIC HYDROCARBONS. LESS THAN 5% ANIONIC

SURFACTANT.

# 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11/30/2022 (Revision date) EU - en 2/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) substance with a Community workplace exposure limit	EC-No.: 919-446-0	≥ 80	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Isopropylamine dodecylbenzenesulfonate	CAS-No.: 26264-05-1 EC-No.: 247-556-2	≥ 1 – < 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≥ 0.1 – < 1	Not classified

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general

- First-aid measures after inhalation
- First-aid measures after skin contact
- First-aid measures after eye contact
- First-aid measures after ingestion

- : Remove victim to uncontaminated area. Call a poison center or a doctor if you feel unwell.
- : Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. Get medical advice/attention. Give oxygen or artificial respiration if necessary.
- : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Wash with plenty of water/... saop and water.
- : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.
- Get immediate medical advice/attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Keep at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

Symptoms/effects after inhalation

- Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion
- : The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
- : At high concentrations, the vapours can be irritating to the respiratory system. May have a narcotic effect at high concentrations. Other symptoms: Headache, dizziness, nausea, unconsciousness.
- : Repeated exposure may cause skin dryness or cracking. Irritation.
- : Eye irritation. Redness.
- : Ingestion may cause nausea and vomiting. Abdominal pain, nausea. Swallowing a small quantity of this material will result in serious health hazard. Liquid with low viscosity. May result in aspiration into the lungs. Product entering lungs lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48 hours).

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

11/30/2022 (Revision date) EU - en 3/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : The vapours are denser than air and may travel along the ground. Distance ignition

possible. Flammable liquid and vapour.

**Explosion hazard** Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases. Hydrocarbons. Aldehydes. Soot. Gas may accumulate in confined areas.

Harmful if inhaled

: Toxic fumes may be released. Hazardous decomposition products in case of fire

### 5.3. Advice for firefighters

Precautionary measures fire Avoid breathing (dust, vapor, mist, gas).

Firefighting instructions Cool laterally with water containers exposed to flames, even after the fire is extinguished. Protection during firefighting

Wear fire/flame resistant/retardant clothing. In confined space use self-contained breathing

apparatus. Full face piece respirator.

Other information Keep run-off water out of sewers and water sources. Containers close to fire should be

removed or cooled with water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

6.1.1. For non-emergency personnel

Protective equipment : Keep unnecessary and unprotected personnel away from the spillage.

**Emergency procedures** : Land spill. Eliminate all ignition sources. Stop leak if safe to do so. Do not touch or walk on

the spilled product.

Measures in case of dust release : Not applicable.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended

personal protective equipment. For further information refer to section 8: "Exposure

controls/personal protection".

: For further information refer to section 8: "Exposure controls/personal protection". More **Emergency procedures** 

detailed information: See section 11. For disposal of residues refer to section 13: Disposal

considerations" "

# 6.2. Environmental precautions

Avoid release to the environment. Very toxic to aquatic life with long lasting effects. Material insoluble in water. may spread in water systems. Do not discharge into drains or the environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

## 6.3. Methods and material for containment and cleaning up

: Eliminate sources of ignition. No open flames. No smoking. For containment

Methods for cleaning up Stop leak if safe to do so. Absorb excess liquid spillage on inorganic adsorbent material

such as fine sand, brick dust etc. Place spent adsorbent in sealed packages and contact specialist waste disposal contractor. Cover the spilled liquid product with foam to slow down

evaporation. Use type. Alcohol resistant foam.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

11/30/2022 (Revision date) EU - en 4/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Eliminate all ignition sources if safe to do so. Use explosion-proof equipment. Containers must be properly grounded before beginning transfer. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may

accumulate in the container. Wear personal protective equipment. Use only outdoors or in a

well-ventilated area.

Handling temperature :  $5-30 \, ^{\circ}\text{C}$ 

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Keep locked up and out of reach of children.

Incompatible products : Oxidizing agent.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage area : Keep away from food, drink and animal feedingstuffs.

Packaging materials : Carbon steel. Glass. Mild steel. Stainless steel. high density polyethylene (HDPE).

Polyethylene terephthalate (PET).

### 7.3. Specific end use(s)

Section 1.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

2-methoxymethylethoxy)propanol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)	EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	≈ 308 mg/m³	
IOEL TWA [ppm] ≈ 50 ppm		
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA ≈ 350 mg/m³		

## 8.1.2. Recommended monitoring procedures

Monitoring methods	
	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

#### 8.1.3. Air contaminants formed

No additional information available

11/30/2022 (Revision date) EU - en 5/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

### 8.1.4. DNEL and PNEC

5.1.4. DNEL and PNEC			
(2-methoxymethylethoxy)propanol (34590-94-	(2-methoxymethylethoxy)propanol (34590-94-8)		
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	283 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	308 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	36 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	37.2 mg/m³		
Long-term - systemic effects, dermal	121 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	19 mg/l		
PNEC aqua (marine water)	1.9 mg/l		
PNEC aqua (intermittent, freshwater)	190 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	70.2 mg/kg dwt		
PNEC sediment (marine water)	7.02 mg/kg dwt		
PNEC (Soil)			
PNEC soil	2.74 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	4168 mg/l		
Hydrocarbons, C9-C12, n-alkanes, isoalkanes	, cyclics, aromatics (2-25%)		
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	570 mg/m³		
Long-term - systemic effects, dermal	21 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	330 mg/m³		
DNEL/DMEL (General population)			
Acute - systemic effects, inhalation	570 mg/m³		
Long-term - systemic effects,oral	21 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	71 mg/m³		
Long-term - systemic effects, dermal	12 mg/kg bodyweight/day		
PNEC (additional information)			
Additional information	PNEC is not meaningful for petroleum substances		

# 8.1.5. Control banding

Control banding : Band 1 - (Skin and/or eye irritant): Use good industrial hygiene practice and general ventilation

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station. Ensure that there is a suitable ventilation system. Mechanical ventilation is recommended. Avoid inhalation of vapours.

11/30/2022 (Revision date) EU - en 6/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Do not attempt to take action without suitable protective equipment. Appropriate engineering controls.

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Use splash goggles when eye contact due to splashing is possible	Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves. Nitrile-rubber protective gloves. Polyvinylchloride (PVC). Viton

#### Other skin protection

# Materials for protective clothing:

Use appropriate personal protection equipment (PPE). According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear respiratory protection.

Respiratory protection	spiratory protection		
Device	Filter type	Condition	Standard
Wear respiratory protection	Type A - High-boiling (>65 °C) organic compounds, Type P2	Vapour protection	EN 405

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment. Do not exceed the occupational exposure limits (OEL). Assure that emissions are compliant with all applicable air pollution control regulations. Emission reduction measures for the specific use situation has to be evaluated: Gas absorbers and scrubbers for relatively small volume structures. Minimisation of the fumigated volume by inflated balloons for large volume structure (e.g. churches, houses). (fumigation). Control measures to prevent releases. Keep container tightly closed. Dispose of this material and its container at hazardous or special waste collection point.

#### Other information:

Pregnant/breastfeeding women working with the product must not be in direct contact with the product. Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. **Appearance** : Liquid. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 158 - 191 °C

Flammability : Upper flammable/explosive limit: 7 % Lower flammable/explosive limit: 0.7 %

Not applicable

Explosive limits : Not available

Lower explosion limit : Not available

Upper explosion limit : Not available

Flash point : ≈ 40 °C ISO 13736

Auto-ignition temperature : > 230 °C

Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : 35 mm²/s

Solubility : Substance is a UVCB. Standard tests for this endpoint are not appropriate.

Partition coefficient n-octanol/water (Log Kow)

I Not available
Vapour pressure
Vapour pressure at 50 °C

Vapour pressure at 50 °C

E Not available
Density
E Not available
Relative density
E 0.763 – 0.803
Relative vapour density at 20 °C

E Not available
Particle characteristics
E Not applicable

9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (ether=1) :  $\approx 57$ VOC content :  $\leq 769$  g/l

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour.

# 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Never pressurise packagings as they will not resist.

## 10.5. Incompatible materials

Acids. Oxidizing agent.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

# **SECTION 11: Toxicological information**

ш								
П	11 1	Information	on hazard	clacene a	as defined in	Pogulation	(EC) No	1272/2008
ш		minomilation	UII IIdzalu	U03363 0	as ucilileu III	IXEGUIALIOII	ILOI NO	12/2/2000

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

(2-methoxymethylethoxy)propanol (34590-94-8)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Isopropylamine dodecylbenzenesulfonate (26264-05-1)	
1 D50 oral rat	

		423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
ı	LD50 oral rat	> 2000 mg/kg bodyweight Animai: rat, Animai sex: lemale, Guideline: OECD Guideline

Hydrocarbons, C9-C12, n-alkanes, isoalkanes	, cyclics, aromatics (2-25%)
LD50 oral rat	> 15000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 1.58 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

 Skin corrosion/irritation
 : Not classified

 Serious eye damage/irritation
 : Not classified

 Respiratory or skin sensitisation
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

 Reproductive toxicity
 : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure

(2-methoxymethylethoxy)propanol (34590-94-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	
NOAEL (dermal, rat/rabbit, 90 days)	≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard : May be fatal if swallowed and enters airways.	

BARTOLINE BRUSH CLEANER	
Viscosity, kinematic	35 mm²/s

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	
Viscosity, kinematic	1.2 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

Not rapidly degradable

(2-methoxymethylethoxy)propanol (34590-94-8)		
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
Isopropylamine dodecylbenzenesulfonate (26264-05-1)		
EC50 - Crustacea [1]	6.7 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): other:	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
EC50 72h - Algae [1]	0.94 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	0.53 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	1.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	0.58 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

# 12.2. Persistence and degradability

BARTOLINE BRUSH CLEANER	
9	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

# 12.3. Bioaccumulative potential

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

### 12.4. Mobility in soil

#### **BARTOLINE BRUSH CLEANER**

Additional information

Substance is a UVCB. Standard tests for this endpoint are not appropriate.

# 12.5. Results of PBT and vPvB assessment

# **BARTOLINE BRUSH CLEANER**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste)

Waste treatment methods Additional information European List of Waste (LoW) code

HP Code

- The generation of waste should be minimised or avoided wherever possible. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. External recovery, treatment, recycling and disposal of waste should comply with all applicable local and/or national regulations. Waste material and any included combustible absorbent and containers should be suitable for incineration at an approved facility. This material and its container must be disposed of as hazardous waste. Waste packaging should be collected for reuse or recycling. The packaging must be empty (dropfree when inverted). When handling waste, the safety precautions applying to handling of the product should be considered.
- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : Flammable vapours may accumulate in the container.
- : 08 01 11\* waste paint and varnish containing organic solvents or other dangerous substances
  - 08 01 13\* sludges from paint or varnish containing organic solvents or other dangerous substances
  - 15 01 10\* packaging containing residues of or contaminated by dangerous substances 15 02 02\* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
  - HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
  - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
4.1. UN number or ID ու	ımber			
UN 1263	Not applicable	Not applicable	Not applicable	Not applicable
4.2. UN proper shipping	ı name			
PAINT RELATED MATERIAL (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))	Not applicable	Not applicable	Not applicable	Not applicable
Fransport document descrip	ption			
UN 1263 PAINT RELATED MATERIAL (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard cl	lass(es)			
3	Not applicable	Not applicable	Not applicable	Not applicable
	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
III	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haza	ards			
Dangerous for the environment: Yes	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

# 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 163, 367, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19

11/30/2022 (Revision date) EU - en 12/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

Portable tank and bulk container instructions (ADR) : T2

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1263

Tunnel restriction code (ADR) : D/E EAC code : •3Y

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# VOC Directive (2004/42)

VOC content : ≤ 769 g/l

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

LGK 3 - Flammable liquids. Storage class (LGK, TRGS 510)

Joint storage table

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, Joint storage not permitted for

LGK 6.1B, LGK 6.2, LGK 7.

: LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13. Joint storage with restrictions permitted for

: LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13. Joint storage permitted for

Chemicals Prohibition Ordinance (ChemVerbotsV) This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

> be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BlmSchV) Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

**Switzerland** 

Storage class (LK) : LK 3 - Flammable liquids

Chemicals Ordinance (SR 813.11) : Group 2

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

: Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/11/2022 Revision date: 11/30/2022 Supersedes version of: 11/30/2022 Version: 1.1

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

## Indication of changes:

Due to change of classification database the revision numbering has been reset. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.